

ITEM #	DESCRIPTION
29-1000	POLARIS Bipolar Generator with footswitch



29-1000

29-1600



ITEM #	DESCRIPTION
29-1600	POLARIS Irrigation Module 

29-1900



ITEM #	DESCRIPTION
29-1900	POLARIS Light Source Module



19-2224PL



19-2234PL



19-2244PL

Disposable POLARIS Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-2222PL	7" (17.8cm)	-	0.5mm	-	PL IN
19-2224PL	7" (17.8cm)	-	1.0mm	-	PL IN
19-2226PL	7" (17.8cm)	-	1.5mm	-	PL IN
19-2232PL	8" (20.3cm)	-	0.5mm	-	PL IN
19-2234PL	8" (20.3cm)	-	1.0mm	-	PL IN
19-2236PL	8" (20.3cm)	-	1.5mm	-	PL IN
19-2242PL	9" (22.9cm)	-	0.5mm	-	PL IN
19-2244PL	9" (22.9cm)	-	1.0mm	-	PL IN
19-2246PL	9" (22.9cm)	-	1.5mm	-	PL IN




22-1434PL



22-1443PL



22-1454PL



22-1465PL

POLARIS Bayonet Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
22-1432PL	7" (17.8cm)	-	0.5mm	2 3/4" (7cm)	PL IN
22-1433PL	7" (17.8cm)	-	0.7mm	2 3/4" (7cm)	PL IN
22-1434PL	7" (17.8cm)	-	1.0mm	2 3/4" (7cm)	PL IN
22-1435PL	7" (17.8cm)	-	1.2mm	2 3/4" (7cm)	PL IN
22-1442PL	8" (20.3cm)	-	0.5mm	3 3/4" (9.5cm)	PL IN
22-1443PL	8" (20.3cm)	-	0.7mm	3 3/4" (9.5cm)	PL IN
22-1444PL	8" (20.3cm)	-	1.0mm	3 3/4" (9.5cm)	PL IN
22-1445PL	8" (20.3cm)	-	1.2mm	3 3/4" (9.5cm)	PL IN
22-1452PL	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	PL IN
22-1453PL	8 3/4" (22.2cm)	-	0.7mm	4 1/2" (11.4cm)	PL IN
22-1454PL	8 3/4" (22.2cm)	-	1.0mm	4 1/2" (11.4cm)	PL IN
22-1455PL	8 3/4" (22.2cm)	-	1.2mm	4 1/2" (11.4cm)	PL IN
22-1462PL	10" (25.4cm)	-	0.5mm	5 3/4" (14.6cm)	PL IN
22-1463PL	10" (25.4cm)	-	0.7mm	5 3/4" (14.6cm)	PL IN
22-1464PL	10" (25.4cm)	-	1.0mm	5 3/4" (14.6cm)	PL IN
22-1465PL	10" (25.4cm)	-	1.2mm	5 3/4" (14.6cm)	PL IN