



Disposable COHEN™ Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated with 12' Cord


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-5022AU	7" (17.8cm)	-	0.5mm	-	AU IN
19-5024AU	7" (17.8cm)	-	1.0mm	-	AU IN
19-5026AU	7" (17.8cm)	-	1.5mm	-	AU IN
19-5032AU	8" (20.3cm)	-	0.5mm	-	AU IN
19-5034AU	8" (20.3cm)	-	1.0mm	-	AU IN
19-5036AU	8" (20.3cm)	-	1.5mm	-	AU IN
19-5042AU	9" (22.9cm)	-	0.5mm	-	AU IN
19-5044AU	9" (22.9cm)	-	1.0mm	-	AU IN
19-5046AU	9" (22.9cm)	-	1.5mm	-	AU IN

* COHEN "AU" forceps also available as "AUX" packaged without cords.




Disposable COHEN™ Bayonet Irrigating AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-5032AU ^{IR}	8" (20.3cm)	-	0.5mm	-	AU IN
19-5034AU ^{IR}	8" (20.3cm)	-	1.0mm	-	AU IN
19-5036AU ^{IR}	8" (20.3cm)	-	1.5mm	-	AU IN
19-5042AU ^{IR}	9" (22.9cm)	-	0.5mm	-	AU IN
19-5044AU ^{IR}	9" (22.9cm)	-	1.0mm	-	AU IN
19-5046AU ^{IR}	9" (22.9cm)	-	1.5mm	-	AU IN



Disposable 3-Hole Yasargil Style AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-2022AU	7" (17.8cm)	-	0.5mm	-	AU IN
19-2024AU	7" (17.8cm)	-	1.0mm	-	AU IN
19-2026AU	7" (17.8cm)	-	1.5mm	-	AU IN
19-2032AU	8" (20.3cm)	-	0.5mm	-	AU IN
19-2034AU	8" (20.3cm)	-	1.0mm	-	AU IN
19-2036AU	8" (20.3cm)	-	1.5mm	-	AU IN
19-2042AU	9" (22.9cm)	-	0.5mm	-	AU IN
19-2044AU	9" (22.9cm)	-	1.0mm	-	AU IN
19-2046AU	9" (22.9cm)	-	1.5mm	-	AU IN





Disposable AURA™ Non-Stick Bipolar Forceps, Insulated with 12' Cord

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
19-1003AU	7 3/4" (19.7cm)	Scoville-Greenwood Bayonet	1.5mm	-	AU IN
19-1103AU	7 1/2" (19.1cm)	Gerald Bayonet	1.0mm	-	AU IN
19-1200AU	7 1/2" (19.1cm)	Cushing Bayonet	0.7mm	-	AU IN
19-1205AU	7 1/2" (19.1cm)	Cushing Bayonet	0.5mm	-	AU IN
19-2004AU	7 1/2" (19.1cm)	Cushing Bayonet	2.0mm	-	AU IN
19-1227AU	8 1/2" (21.6cm)	Hardy Bayonet	0.5mm	-	AU IN
19-1228AU	8 1/2" (21.6cm)	Hardy Bayonet	1.0mm	-	AU IN
19-1229AU	8 1/2" (21.6cm)	Hardy Bayonet	1.5mm	-	AU IN
19-1230AU	8 1/2" (21.6cm)	Hardy Bayonet	0.7mm	-	AU IN
19-1231AU	8 1/2" (21.6cm)	Hardy Bayonet	2.0mm	-	AU IN
19-1235AU	10" (25.4cm)	Hardy Bayonet	1.0mm	-	AU IN
19-1236AU	10" (25.4cm)	Hardy Bayonet	1.5mm	-	AU IN
19-1240AU	5 1/2" (14cm)	Semkin	0.7mm	-	AU IN
19-2000AU	6" (15.2cm)	Cushing	1.0mm	-	AU IN
19-2002AU	7" (17.8cm)	Cushing	1.5mm	-	AU IN
19-3002AU	4" (10.2cm)	Jewelers, Straight	0.4mm	-	AU IN
19-3010AU	5" (12.7cm)	Adson	1.0mm	-	AU IN

* Liberty "AU" forceps also available as "AUX" packaged without cords.

12-1175AU



Iris Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1175AU	3 1/2" (8.9cm)	Straight, Non-Stick	0.4mm	-	AU
12-1275NS	3 1/2" (8.9cm)	Straight, Non-Stick	0.4mm	-	NS
12-1075	3 1/2" (8.9cm)	Straight	0.4mm	-	SS
12-1180AU	3 1/2" (8.9cm)	Curved, Non-Stick	0.4mm	-	AU
12-1280NS	3 1/2" (8.9cm)	Curved, Non-Stick	0.4mm	-	NS
12-1080	3 1/2" (8.9cm)	Curved	0.4mm	-	SS
12-1085	3 3/8" (8.6cm)	Curved	0.5mm	-	SS IN

10-3402AU



Jewelers Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3402AU	4" (10.2cm)	Straight, Non-Stick, Insulated	0.4mm	-	AU IN
10-3202NS	4" (10.2cm)	Straight, Non-Stick, Insulated	0.4mm	-	NS IN
10-3002	4" (10.2cm)	Straight, Insulated	0.4mm	-	SS IN
10-3100AU	4" (10.2cm)	Straight, Non-Stick	0.4mm	-	AU
10-3200NS	4" (10.2cm)	Straight, Non-Stick	0.4mm	-	NS
10-3000	4" (10.2cm)	Straight	0.4mm	-	SS
10-3101AU	4" (10.2cm)	Curved, Non-Stick	0.4mm	-	AU
10-3201NS	4" (10.2cm)	Curved, Non-Stick	0.4mm	-	NS
10-3001	4" (10.2cm)	Curved	0.4mm	-	SS

10-3105AU



Tenzel Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3105AU	4" (10.2cm)	Non-Stick	0.4mm	-	AU
10-3205NS	4" (10.2cm)	Non-Stick	0.4mm	-	NS
10-3005	4" (10.2cm)	-	0.4mm	-	SS

12-1192AU



Coaptation Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1192AU	4" (10.2cm)	Nadler Style, Non-Stick with Spacer	0.4mm	-	AU
12-1292NS	4" (10.2cm)	Nadler Style, Non-Stick with Spacer	0.4mm	-	NS
12-1092	4" (10.2cm)	Nadler Style, with Spacer	0.4mm	-	SS
12-1190AU	4 1/4" (10.8cm)	Non-Stick	0.5mm	-	AU
12-1290NS	4 1/4" (10.8cm)	Non-Stick	0.5mm	-	NS
12-1090	4 1/4" (10.8cm)	-	0.5mm	-	SS
12-1195AU	4 1/4" (10.8cm)	Non-Stick, X-fine	0.4mm	-	AU
12-1295NS	4 1/4" (10.8cm)	Non-Stick, X-fine	0.4mm	-	NS
12-1095	4 1/4" (10.8cm)	X-fine	0.4mm	-	SS

10-3415AU



Adson Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-3415AU	5" (12.7cm)	Non-Stick, Insulated	1.0mm	-	AU IN
10-3215NS	5" (12.7cm)	Non-Stick, Insulated	1.0mm	-	NS IN
10-3015	5" (12.7cm)	Insulated	1.0mm	-	SS IN
10-3110AU	5" (12.7cm)	Non-Stick	1.0mm	-	AU
10-3210NS	5" (12.7cm)	Non-Stick	1.0mm	-	NS
10-3010	5" (12.7cm)	-	1.0mm	-	SS

12-1140AU



Semkin Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1140AU	5 1/2" (14cm)	Non-Stick with Stop	0.7mm	-	AU
12-1240NS	5 1/2" (14cm)	Non-Stick with Stop	0.7mm	-	NS
12-1040	5 1/2" (14cm)	with Stop	0.7mm	-	SS
12-1445AU	6" (15.2cm)	Non-Stick, Insulated	1.5mm	-	AU IN
12-1245NS	6" (15.2cm)	Non-Stick, Insulated	1.5mm	-	NS IN
12-1045	6" (15.2cm)	Insulated	1.5mm	-	SS IN

10-2402AU



Cushing Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2100AU	6" (15.2cm)	Non-Stick	0.7mm	-	AU
10-2200NS	6" (15.2cm)	Non-Stick	0.7mm	-	NS
10-2000	6" (15.2cm)	-	0.7mm	-	SS
10-2402AU	7" (17.8cm)	Non-Stick, Insulated	1.5mm	-	AU IN
10-2202NS	7" (17.8cm)	Non-Stick, Insulated	1.5mm	-	NS IN
10-2002	7" (17.8cm)	Insulated	1.5mm	-	SS IN
10-2101AU	7" (17.8cm)	Non-Stick	1.5mm	-	AU
10-2201NS	7" (17.8cm)	Non-Stick	1.5mm	-	NS
10-2001	7" (17.8cm)	-	1.5mm	-	SS

11-1402AU



Gerald Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1402AU	7" (17.8cm)	Non-Stick, Insulated	1.0mm	-	AU IN
11-1202NS	7" (17.8cm)	Non-Stick, Insulated	1.0mm	-	NS IN
11-1002	7" (17.8cm)	Insulated	1.0mm	-	SS IN
11-1100AU	7" (17.8cm)	Non-Stick	1.0mm	-	AU
11-1200NS	7" (17.8cm)	Non-Stick	1.0mm	-	NS
11-1000	7" (17.8cm)	-	1.0mm	-	SS

15-2105



15-3105



Titanium Straight Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
15-2103	3 1/2" (8.9cm)	Jewelers, 30° Angled	0.4mm	-	Ti
15-2104	3 1/2" (8.9cm)	Jewelers, Curved	0.4mm	-	Ti
15-2105	3 1/2" (8.9cm)	Jewelers, Straight	0.4mm	-	Ti
15-2107	3 3/4" (9.5cm)	Iris, Curved with Stop	0.5mm	-	Ti
15-2108	3 3/4" (9.5cm)	Eye with Stop	0.4mm	-	Ti
15-2109	4" (10.2cm)	Coaptation, Curved with Stop	0.5mm	-	Ti
15-3103	4 1/4" (10.8cm)	Jewelers, 90° Angled	0.4mm	-	Ti
15-3104	4 1/4" (10.8cm)	Jewelers, Straight	0.4mm	-	Ti
15-3110	4 1/2" (11.4cm)	Straight	0.4mm	-	Ti
15-3109	4 1/2" (11.4cm)	Reverse angle	0.4mm	-	Ti
15-3101	4 3/4" (12.1cm)	Wide Serrations, Straight	0.4mm	-	Ti
15-3105	4 3/4" (12.1cm)	Fine Serrations, Straight	0.4mm	-	Ti
15-5110	6" (15.2cm)	Straight	0.25mm	-	Ti
15-5112	6" (15.2cm)	Straight	0.5mm	-	Ti



Scoville-Greenwood Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1403AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1203NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1003	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN
10-1102AU	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	AU
10-1202NS	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	NS
10-1002	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS



Tonsil Bayonet Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1413AU	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	AU IN
10-1213NS	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	NS IN



Cushing Bayonet Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2404AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN
12-1400AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN
12-1450AU	12 1/2" (31.8cm)	Non-Stick	1.0mm	8" (20.3cm)	AU IN
12-1451AU	12 1/2" (31.8cm)	Non-Stick	1.0mm	8" (20.3cm)	AU IN
10-2204NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN
12-1200NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN
10-2004	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN
12-1000	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN

GERALD FORCEPS



Gerald Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1403AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN
11-1203NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN
11-1003	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN
11-1101AU	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	AU
11-1201NS	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	NS
11-1001	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS



Hardy Bayonet Bipolar Forceps with Stop, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1429AU	8 3/4" (22.2cm)	Non-Stick	2.0mm	4 1/2" (11.4cm)	AU IN
12-1432AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	4 1/2" (11.4cm)	AU IN
12-1433AU	8 3/4" (22.2cm)	Non-Stick	1.2mm	4 1/2" (11.4cm)	AU IN
12-1434AU	8 3/4" (22.2cm)	Non-Stick	0.7mm	4 1/2" (11.4cm)	AU IN
12-1435AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	AU IN
12-1235NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	NS IN
12-1035	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS IN
12-1436AU	9 3/4" (24.8cm)	Non-Stick	0.5mm	5 1/2" (14cm)	AU IN
12-1437AU	9 3/4" (24.8cm)	Non-Stick	1.0mm	5 1/2" (14cm)	AU IN
12-1438AU	9 3/4" (24.8cm)	Non-Stick	1.5mm	5 1/2" (14cm)	AU IN
12-1236NS	9 3/4" (24.8cm)	Non-Stick	0.5mm	5 1/2" (14cm)	NS IN
12-1237NS	9 3/4" (24.8cm)	Non-Stick	1.0mm	5 1/2" (14cm)	NS IN
12-1238NS	9 3/4" (24.8cm)	Non-Stick	1.5mm	5 1/2" (14cm)	NS IN



Hardy Bayonet Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1130AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	AU
12-1131AU	8 3/4" (22.2cm)	Non-Stick, Angled Left and Up	1.5mm	4 1/2" (11.4cm)	AU
12-1132AU	8 3/4" (22.2cm)	Non-Stick, Angled Left	1.5mm	4 1/2" (11.4cm)	AU
12-1230NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	4 1/2" (11.4cm)	NS
12-1231NS	8 3/4" (22.2cm)	Non-Stick, Angled Left and Up	1.5mm	4 1/2" (11.4cm)	NS
12-1232NS	8 3/4" (22.2cm)	Non-Stick, Angled Left	1.5mm	4 1/2" (11.4cm)	NS
12-1030	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS



Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1411AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1412AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1413AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1414AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1415AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1416AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1417AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1418AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1419AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1420AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1421AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN



Yasargil Bayonet Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS IN
20-1411NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS IN
20-1412NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS IN
20-1413NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS IN
20-1414NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS IN
20-1415NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS IN
20-1416NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS IN
20-1417NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS IN
20-1418NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS IN
20-1419NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS IN
20-1420NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS IN
20-1421NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS IN



20-1118AU

Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1110AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU
20-1111AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU
20-1112AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU
20-1113AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU
20-1114AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU
20-1115AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU
20-1116AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU
20-1117AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU
20-1118AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU
20-1119AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU
20-1120AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU
20-1121AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU



20-1221NS

Yasargil Bayonet Non-Stick Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1210NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS
20-1211NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS
20-1212NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS
20-1213NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS
20-1214NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS
20-1215NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS
20-1216NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS
20-1217NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS
20-1218NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS
20-1219NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS
20-1220NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS
20-1221NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS



3-Hole Yasargil Style Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
21-1442AU	6" (15.2cm)	-	0.2mm	1 3/8" (3.5cm)	AU IN
21-1406AU	6" (15.2cm)	-	0.4mm	1 3/8" (3.5cm)	AU IN
21-1407AU	6" (15.2cm)	-	0.7mm	1 3/8" (3.5cm)	AU IN
21-1408AU	6" (15.2cm)	-	1.0mm	1 3/8" (3.5cm)	AU IN
21-1409AU	6" (15.2cm)	-	1.3mm	1 3/8" (3.5cm)	AU IN
21-1443AU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
21-1410AU	7" (17.8cm)	-	0.4mm	2 3/8" (6cm)	AU IN
21-1411AU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
21-1412AU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
21-1413AU	7" (17.8cm)	-	1.3mm	2 3/8" (6cm)	AU IN
21-1444AU	7 3/4" (19.7cm)	-	0.2mm	3" (7.6cm)	AU IN
21-1414AU	7 3/4" (19.7cm)	-	0.4mm	3" (7.6cm)	AU IN
21-1415AU	7 3/4" (19.7cm)	-	0.7mm	3" (7.6cm)	AU IN
21-1416AU	7 3/4" (19.7cm)	-	1.0mm	3" (7.6cm)	AU IN
21-1417AU	7 3/4" (19.7cm)	-	1.3mm	3" (7.6cm)	AU IN
21-1445AU	8 1/2" (21.6cm)	-	0.2mm	3 3/4" (9.5cm)	AU IN
21-1418AU	8 1/2" (21.6cm)	-	0.4mm	3 3/4" (9.5cm)	AU IN
21-1419AU	8 1/2" (21.6cm)	-	0.7mm	3 3/4" (9.5cm)	AU IN
21-1420AU	8 1/2" (21.6cm)	-	1.0mm	3 3/4" (9.5cm)	AU IN
21-1421AU	8 1/2" (21.6cm)	-	1.3mm	3 3/4" (9.5cm)	AU IN
21-1446AU	9 1/4" (23.5cm)	-	0.2mm	4 1/2" (11.4cm)	AU IN
21-1422AU	9 1/4" (23.5cm)	-	0.4mm	4 1/2" (11.4cm)	AU IN
21-1423AU	9 1/4" (23.5cm)	-	0.7mm	4 1/2" (11.4cm)	AU IN
21-1424AU	9 1/4" (23.5cm)	-	1.0mm	4 1/2" (11.4cm)	AU IN
21-1425AU	9 1/4" (23.5cm)	-	1.3mm	4 1/2" (11.4cm)	AU IN
21-1447AU	10 1/4" (26cm)	-	0.2mm	5 1/2" (14cm)	AU IN
21-1426AU	10 1/4" (26cm)	-	0.4mm	5 1/2" (14cm)	AU IN
21-1427AU	10 1/4" (26cm)	-	0.7mm	5 1/2" (14cm)	AU IN
21-1428AU	10 1/4" (26cm)	-	1.0mm	5 1/2" (14cm)	AU IN
21-1429AU	10 1/4" (26cm)	-	1.3mm	5 1/2" (14cm)	AU IN



Malis Style Bayonet Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5401AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	3 1/4" (8.3cm)	AU IN
10-5402AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	AU IN
10-5403AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.0mm	3 1/4" (8.3cm)	AU IN
10-5405AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.25mm	3 1/4" (8.3cm)	AU IN
10-5401NS	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	3 1/4" (8.3cm)	NS IN
10-5402NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	NS IN
10-5403NS	8 3/4" (22.2cm)	Non-Stick, Insulated	1.0mm	3 1/4" (8.3cm)	NS IN
10-5405NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.25mm	3 1/4" (8.3cm)	NS IN
10-5101AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	AU
10-5102AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU
10-5103AU	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	AU
10-5105AU	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	AU
10-5201NS	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	NS
10-5202NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS
10-5203NS	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	NS
10-5205NS	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	NS
15-5101	8 3/4" (22.2cm)	Titanium	1.5mm	3 1/4" (8.3cm)	Ti
15-5102	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti
15-5103	8 3/4" (22.2cm)	Titanium	1.0mm	3 1/4" (8.3cm)	Ti



Malis Style Bayonet Bipolar Forceps with Stop, Angled Up

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5404AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	AU IN
10-5404NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	3 1/4" (8.3cm)	NS IN
10-5104AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU
10-5204NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS
15-5104	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti



Malis Style Bayonet Non-Stick Bipolar Forceps with Lightweight Handle

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5400AU	8 3/4" (22.2cm)	Insulated	1.0mm	3 1/4" (8.3cm)	AU IN
10-5400NS	8 3/4" (22.2cm)	Insulated	1.0mm	3 1/4" (8.3cm)	NS IN
10-5100AU	8 3/4" (22.2cm)	-	1.0mm	3 1/4" (8.3cm)	AU
10-5200NS	8 3/4" (22.2cm)	-	1.0mm	3 1/4" (8.3cm)	NS



Kirwan Round Handle Bayonet AURA™ Non-Stick Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-5100AU	8 1/2" (21.6cm)	-	0.7mm	3" (7.6cm)	AU
12-5101AU	8 1/2" (21.6cm)	-	1.0mm	3" (7.6cm)	AU
12-5102AU	8 1/2" (21.6cm)	-	1.3mm	3" (7.6cm)	AU
12-5103AU	8 1/2" (21.6cm)	-	1.5mm	3" (7.6cm)	AU
12-5104AU	9 1/2" (24.1cm)	-	0.7mm	4" (10.2cm)	AU
12-5105AU	9 1/2" (24.1cm)	-	1.0mm	4" (10.2cm)	AU
12-5106AU	9 1/2" (24.1cm)	-	1.3mm	4" (10.2cm)	AU
12-5107AU	9 1/2" (24.1cm)	-	1.5mm	4" (10.2cm)	AU
12-5108AU	10 1/2" (26.7cm)	-	0.7mm	5" (12.7cm)	AU
12-5109AU	10 1/2" (26.7cm)	-	1.0mm	5" (12.7cm)	AU
12-5110AU	10 1/2" (26.7cm)	-	1.3mm	5" (12.7cm)	AU
12-5111AU	10 1/2" (26.7cm)	-	1.5mm	5" (12.7cm)	AU



Minimally Invasive AURA™ Non-Stick Bipolar Forceps with Stop, Parallel Working Length, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
23-1413AU	8 1/2" (21.6cm)	Straight	1.2mm	4 1/4" (10.8cm)	AU IN
23-1411AU	8 1/2" (21.6cm)	Straight	0.7mm	4 1/4" (10.8cm)	AU IN
23-1431AU	8 1/2" (21.6cm)	Angled Up 45°	0.7mm	4 1/4" (10.8cm)	AU IN
23-1417AU	9 1/2" (24.1cm)	Straight	1.2mm	5 1/4" (13.3cm)	AU IN
23-1415AU	9 1/2" (24.1cm)	Straight	0.7mm	5 1/4" (13.3cm)	AU IN
23-1432AU	9 1/2" (24.1cm)	Angled Up 45°	0.7mm	5 1/4" (13.3cm)	AU IN
23-1421AU	10 1/2" (26.7cm)	Straight	1.2mm	6 1/4" (15.9cm)	AU IN
23-1419AU	10 1/2" (26.7cm)	Straight	0.7mm	6 1/4" (15.9cm)	AU IN
23-1433AU	10 1/2" (26.7cm)	Angled Up 45°	0.7mm	6 1/4" (15.9cm)	AU IN



Reverse Action Style AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
23-1451AU	10" (25.4cm)	-	0.7mm	6" (15.2cm)	AU IN
23-1452AU	10" (25.4cm)	-	1.0mm	6" (15.2cm)	AU IN



Titanium Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
15-1400AU	7 1/2" (19.1cm)	Cushing	0.7mm	3 1/2" (8.9cm)	Ti AU IN
15-2404AU	7 1/2" (19.1cm)	Cushing	2.0mm	3 1/2" (8.9cm)	Ti AU IN
15-1403AU	7 3/4" (19.7cm)	Scoville-Greenwood	1.5mm	2 3/4" (7cm)	Ti AU IN
15-1432AU	8 3/4" (22.2cm)	Hardy with Stop	1.5mm	4 1/2" (11.4cm)	Ti AU IN
15-1433AU	8 3/4" (22.2cm)	Hardy with Stop	1.2mm	4 1/2" (11.4cm)	Ti AU IN
15-1434AU	8 3/4" (22.2cm)	Hardy with Stop	0.7mm	4 1/2" (11.4cm)	Ti AU IN
15-1435AU	8 3/4" (22.2cm)	Hardy with Stop	0.5mm	4 1/2" (11.4cm)	Ti AU IN
15-1436AU	9 3/4" (24.8cm)	Hardy with Stop	0.5mm	5 1/2" (14cm)	Ti AU IN
15-1437AU	9 3/4" (24.8cm)	Hardy with Stop	1.0mm	5 1/2" (14cm)	Ti AU IN
15-1438AU	9 3/4" (24.8cm)	Hardy with Stop	1.5mm	5 1/2" (14cm)	Ti AU IN
15-5401AU	8 3/4" (22.2cm)	with Stop	1.5mm	3 3/4" (9.5cm)	Ti AU IN
15-5402AU	8 3/4" (22.2cm)	with Stop	0.5mm	3 3/4" (9.5cm)	Ti AU IN
15-5403AU	8 3/4" (22.2cm)	with Stop	1.0mm	3 3/4" (9.5cm)	Ti AU IN
15-5404AU	8 3/4" (22.2cm)	with Stop, Angled Up	0.5mm	3 3/4" (9.5cm)	Ti AU IN



Narrow Line Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
24-1430AU	7" (17.8cm)	-	0.1mm	2 3/8" (6cm)	AU IN
24-1431AU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
24-1432AU	7" (17.8cm)	-	0.5mm	2 3/8" (6cm)	AU IN
24-1433AU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
24-1434AU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
24-1435AU	7" (17.8cm)	-	1.2mm	2 3/8" (6cm)	AU IN
24-1437AU	7" (17.8cm)	-	2.0mm	2 3/8" (6cm)	AU IN
24-1440AU	8" (20.3cm)	-	0.1mm	3 3/8" (8.5cm)	AU IN
24-1441AU	8" (20.3cm)	-	0.2mm	3 3/8" (8.5cm)	AU IN
24-1442AU	8" (20.3cm)	-	0.5mm	3 3/8" (8.5cm)	AU IN
24-1443AU	8" (20.3cm)	-	0.7mm	3 3/8" (8.5cm)	AU IN
24-1444AU	8" (20.3cm)	-	1.0mm	3 3/8" (8.5cm)	AU IN
24-1445AU	8" (20.3cm)	-	1.2mm	3 3/8" (8.5cm)	AU IN
24-1447AU	8" (20.3cm)	-	2.0mm	3 3/8" (8.5cm)	AU IN
24-1450AU	8 3/4" (22.2cm)	-	0.1mm	4 1/8" (10.5cm)	AU IN
24-1451AU	8 3/4" (22.2cm)	-	0.2mm	4 1/8" (10.5cm)	AU IN
24-1452AU	8 3/4" (22.2cm)	-	0.5mm	4 1/8" (10.5cm)	AU IN
24-1453AU	8 3/4" (22.2cm)	-	0.7mm	4 1/8" (10.5cm)	AU IN
24-1454AU	8 3/4" (22.2cm)	-	1.0mm	4 1/8" (10.5cm)	AU IN
24-1455AU	8 3/4" (22.2cm)	-	1.2mm	4 1/8" (10.5cm)	AU IN
24-1457AU	8 3/4" (22.2cm)	-	2.0mm	4 1/8" (10.5cm)	AU IN
24-1458AU	8 3/4" (22.2cm)	Angled Up	1.0mm	4 1/8" (10.5cm)	AU IN
24-1459AU	8 3/4" (22.2cm)	Angled Down	1.0mm	4 1/8" (10.5cm)	AU IN
24-1460AU	10" (25.4cm)	-	0.1mm	5 1/2" (14cm)	AU IN
24-1461AU	10" (25.4cm)	-	0.2mm	5 1/2" (14cm)	AU IN
24-1462AU	10" (25.4cm)	-	0.5mm	5 1/2" (14cm)	AU IN
24-1463AU	10" (25.4cm)	-	0.7mm	5 1/2" (14cm)	AU IN
24-1464AU	10" (25.4cm)	-	1.0mm	5 1/2" (14cm)	AU IN
24-1465AU	10" (25.4cm)	-	1.2mm	5 1/2" (14cm)	AU IN
24-1467AU	10" (25.4cm)	-	2.0mm	5 1/2" (14cm)	AU IN
24-1468AU	10" (25.4cm)	Angled Up	1.0mm	5 1/2" (14cm)	AU IN
24-1469AU	10" (25.4cm)	Angled Down	1.0mm	5 1/2" (14cm)	AU IN



Scoville-Greenwood Bayonet Irrigating Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1603AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1603NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1302	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS
10-1303	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN


CUSHING IRRIGATING BIPOLAR FORCEPS



Cushing Bayonet Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2604AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN
10-2604NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN
10-2304	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN
12-1600AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN
12-1600NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN
12-1300	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN

GERALD IRRIGATING BIPOLAR FORCEPS



Gerald Bayonet Irrigating Bipolar Forceps


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1603AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN
11-1603NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN
11-1301	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS
11-1303	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN

HARDY IRRIGATING BIPOLAR FORCEPS



Hardy Bayonet Irrigating Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1629AU	8 3/4" (22.2cm)	Non-Stick, Insulated	2.0mm	4 1/2" (11.4cm)	AU IN
12-1632AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	4 1/2" (11.4cm)	AU IN
12-1633AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.2mm	4 1/2" (11.4cm)	AU IN
12-1634AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.7mm	4 1/2" (11.4cm)	AU IN
12-1635AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	AU IN
12-1636AU	9 3/4" (24.8cm)	Non-Stick, Insulated	0.5mm	5 1/2" (14cm)	AU IN
12-1637AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.0mm	5 1/2" (14cm)	AU IN
12-1638AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.5mm	5 1/2" (14cm)	AU IN
12-1635NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	NS IN
12-1330	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS
12-1335	8 3/4" (22.2cm)	Insulated	0.5mm	4 1/2" (11.4cm)	SS IN



Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5601AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	AU IN
10-5602AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU IN
10-5603AU	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	AU IN
10-5605AU	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	AU IN
10-5601NS	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 1/4" (8.3cm)	NS IN
10-5602NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS IN
10-5603NS	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 1/4" (8.3cm)	NS IN
10-5605NS	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 1/4" (8.3cm)	NS IN
15-5301	8 3/4" (22.2cm)	Titanium	1.5mm	3 1/4" (8.3cm)	Ti IN
15-5302	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti IN
15-5303	8 3/4" (22.2cm)	Titanium	1.0mm	3 1/4" (8.3cm)	Ti IN
15-5310		Stylets for Irrigating Forceps, 5/pk			




Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Angled Up, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5604AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	AU IN
10-5604NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 1/4" (8.3cm)	NS IN
15-5304	8 3/4" (22.2cm)	Titanium	0.5mm	3 1/4" (8.3cm)	Ti IN



Yasargil Bayonet AURA™ Non-Stick Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1610AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN I
20-1611AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN I
20-1612AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN I
20-1613AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN I
20-1614AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN I
20-1615AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN I
20-1616AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN I
20-1617AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN I
20-1618AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN I
20-1619AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN I
20-1620AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN I
20-1621AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN I





Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1403EAU	7 3/4" (19.7cm)	Scoville-Greenwood	1.5mm	2 3/4" (7cm)	AU IN
12-1400EAU	7 1/2" (19.1cm)	Cushing	0.7mm	3 1/2" (8.9cm)	AU IN
10-2404EAU	7 1/2" (19.1cm)	Cushing	2.0mm	3 1/2" (8.9cm)	AU IN
10-5400EAU	8 3/4" (22.2cm)	Lightweight Handle	1.0mm	3 3/4" (9.5cm)	AU IN
10-5401EAU	8 3/4" (22.2cm)	With Stop	1.5mm	3 3/4" (9.5cm)	AU IN
10-5402EAU	8 3/4" (22.2cm)	With Stop	0.5mm	3 3/4" (9.5cm)	AU IN
10-5403EAU	8 3/4" (22.2cm)	With Stop	1.0mm	3 3/4" (9.5cm)	AU IN
10-5404EAU	8 3/4" (22.2cm)	With Stop, Angled Up	0.5mm	3 3/4" (9.5cm)	AU IN
12-1432EAU	8 3/4" (22.2cm)	Hardy, with Stop	1.5mm	4 1/2" (11.4cm)	AU IN
12-1433EAU	8 3/4" (22.2cm)	Hardy, with Stop	1.2mm	4 1/2" (11.4cm)	AU IN
12-1434EAU	8 3/4" (22.2cm)	Hardy, with Stop	0.7mm	4 1/2" (11.4cm)	AU IN
12-1435EAU	8 3/4" (22.2cm)	Hardy, with Stop	0.5mm	4 1/2" (11.4cm)	AU IN
12-1436EAU	9 3/4" (24.8cm)	Hardy, with Stop	0.5mm	5 1/2" (14cm)	AU IN
12-1437EAU	9 3/4" (24.8cm)	Hardy, with Stop	1.0mm	5 1/2" (14cm)	AU IN
12-1438EAU	9 3/4" (24.8cm)	Hardy, with Stop	1.5mm	5 1/2" (14cm)	AU IN



Yasargil Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410EAU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1411EAU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1412EAU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1413EAU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1414EAU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1415EAU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1416EAU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1417EAU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1418EAU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1419EAU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1420EAU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1421EAU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN



3-Hole Yasargil Style Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
21-1442EAU	6" (15.2cm)	-	0.2mm	1 3/8" (3.5cm)	AU IN
21-1406EAU	6" (15.2cm)	-	0.4mm	1 3/8" (3.5cm)	AU IN
21-1407EAU	6" (15.2cm)	-	0.7mm	1 3/8" (3.5cm)	AU IN
21-1408EAU	6" (15.2cm)	-	1.0mm	1 3/8" (3.5cm)	AU IN
21-1409EAU	6" (15.2cm)	-	1.3mm	1 3/8" (3.5cm)	AU IN
21-1443EAU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
21-1410EAU	7" (17.8cm)	-	0.4mm	2 3/8" (6cm)	AU IN
21-1411EAU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
21-1412EAU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
21-1413EAU	7" (17.8cm)	-	1.3mm	2 3/8" (6cm)	AU IN
21-1444EAU	7 3/4" (19.7cm)	-	0.2mm	3" (7.6cm)	AU IN
21-1414EAU	7 3/4" (19.7cm)	-	0.4mm	3" (7.6cm)	AU IN
21-1415EAU	7 3/4" (19.7cm)	-	0.7mm	3" (7.6cm)	AU IN
21-1416EAU	7 3/4" (19.7cm)	-	1.0mm	3" (7.6cm)	AU IN
21-1417EAU	7 3/4" (19.7cm)	-	1.3mm	3" (7.6cm)	AU IN
21-1445EAU	8 1/2" (21.6cm)	-	0.2mm	3 3/4" (9.5cm)	AU IN
21-1418EAU	8 1/2" (21.6cm)	-	0.4mm	3 3/4" (9.5cm)	AU IN
21-1419EAU	8 1/2" (21.6cm)	-	0.7mm	3 3/4" (9.5cm)	AU IN
21-1420EAU	8 1/2" (21.6cm)	-	1.0mm	3 3/4" (9.5cm)	AU IN
21-1421EAU	8 1/2" (21.6cm)	-	1.3mm	3 3/4" (9.5cm)	AU IN
21-1446EAU	9 1/4" (23.5cm)	-	0.2mm	4 1/2" (11.4cm)	AU IN
21-1422EAU	9 1/4" (23.5cm)	-	0.4mm	4 1/2" (11.4cm)	AU IN
21-1423EAU	9 1/4" (23.5cm)	-	0.7mm	4 1/2" (11.4cm)	AU IN
21-1424EAU	9 1/4" (23.5cm)	-	1.0mm	4 1/2" (11.4cm)	AU IN
21-1425EAU	9 1/4" (23.5cm)	-	1.3mm	4 1/2" (11.4cm)	AU IN
21-1447EAU	10 1/4" (26cm)	-	0.2mm	5 1/2" (14cm)	AU IN
21-1426EAU	10 1/4" (26cm)	-	0.4mm	5 1/2" (14cm)	AU IN
21-1427EAU	10 1/4" (26cm)	-	0.7mm	5 1/2" (14cm)	AU IN
21-1428EAU	10 1/4" (26cm)	-	1.0mm	5 1/2" (14cm)	AU IN
21-1429EAU	10 1/4" (26cm)	-	1.3mm	5 1/2" (14cm)	AU IN



Narrow Line Bayonet AURA™ Non-Stick Bipolar Forceps, Insulated, with EU Connector

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
24-1430EAU	7" (17.8cm)	-	0.1mm	2 3/8" (6cm)	AU IN
24-1431EAU	7" (17.8cm)	-	0.2mm	2 3/8" (6cm)	AU IN
24-1432EAU	7" (17.8cm)	-	0.5mm	2 3/8" (6cm)	AU IN
24-1433EAU	7" (17.8cm)	-	0.7mm	2 3/8" (6cm)	AU IN
24-1434EAU	7" (17.8cm)	-	1.0mm	2 3/8" (6cm)	AU IN
24-1435EAU	7" (17.8cm)	-	1.2mm	2 3/8" (6cm)	AU IN
24-1437EAU	7" (17.8cm)	-	2.0mm	2 3/8" (6cm)	AU IN
24-1440EAU	8" (20.3cm)	-	0.1mm	3 3/8" (8.5cm)	AU IN
24-1441EAU	8" (20.3cm)	-	0.2mm	3 3/8" (8.5cm)	AU IN
24-1442EAU	8" (20.3cm)	-	0.5mm	3 3/8" (8.5cm)	AU IN
24-1443EAU	8" (20.3cm)	-	0.7mm	3 3/8" (8.5cm)	AU IN
24-1444EAU	8" (20.3cm)	-	1.0mm	3 3/8" (8.5cm)	AU IN
24-1445EAU	8" (20.3cm)	-	1.2mm	3 3/8" (8.5cm)	AU IN
24-1447EAU	8" (20.3cm)	-	2.0mm	3 3/8" (8.5cm)	AU IN
24-1450EAU	8 3/4" (22.2cm)	-	0.1mm	4 1/8" (10.5cm)	AU IN
24-1451EAU	8 3/4" (22.2cm)	-	0.2mm	4 1/8" (10.5cm)	AU IN
24-1452EAU	8 3/4" (22.2cm)	-	0.5mm	4 1/8" (10.5cm)	AU IN
24-1453EAU	8 3/4" (22.2cm)	-	0.7mm	4 1/8" (10.5cm)	AU IN
24-1454EAU	8 3/4" (22.2cm)	-	1.0mm	4 1/8" (10.5cm)	AU IN
24-1455EAU	8 3/4" (22.2cm)	-	1.2mm	4 1/8" (10.5cm)	AU IN
24-1457EAU	8 3/4" (22.2cm)	-	2.0mm	4 1/8" (10.5cm)	AU IN
24-1458EAU	8 3/4" (22.2cm)	Angled Up	1.0mm	4 1/8" (10.5cm)	AU IN
24-1459EAU	8 3/4" (22.2cm)	Angled Down	1.0mm	4 1/8" (10.5cm)	AU IN
24-1460EAU	10" (25.4cm)	-	0.1mm	5 1/2" (14cm)	AU IN
24-1461EAU	10" (25.4cm)	-	0.2mm	5 1/2" (14cm)	AU IN
24-1462EAU	10" (25.4cm)	-	0.5mm	5 1/2" (14cm)	AU IN
24-1463EAU	10" (25.4cm)	-	0.7mm	5 1/2" (14cm)	AU IN
24-1464EAU	10" (25.4cm)	-	1.0mm	5 1/2" (14cm)	AU IN
24-1465EAU	10" (25.4cm)	-	1.2mm	5 1/2" (14cm)	AU IN
24-1467EAU	10" (25.4cm)	-	2.0mm	5 1/2" (14cm)	AU IN
24-1468EAU	10" (25.4cm)	Angled Up	1.0mm	5 1/2" (14cm)	AU IN
24-1469EAU	10" (25.4cm)	Angled Down	1.0mm	5 1/2" (14cm)	AU IN