



20-1412AU

Yasargil Bayonet AURA Non-Stick Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1411AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1412AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1413AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1414AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1415AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1416AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1417AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1418AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1419AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1420AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1421AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN



20-1618AU

Yasargil Bayonet AURA Non-Stick Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1610AU	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	AU IN
20-1611AU	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	AU IN
20-1612AU	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	AU IN
20-1613AU	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	AU IN
20-1614AU	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	AU IN
20-1615AU	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	AU IN
20-1616AU	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	AU IN
20-1617AU	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	AU IN
20-1618AU	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	AU IN
20-1619AU	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	AU IN
20-1620AU	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	AU IN
20-1621AU	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	AU IN



20-1421NS

Yasargil Bayonet Non-Stick Bipolar Forceps, Insulated


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1410NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS IN
20-1411NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS IN
20-1412NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS IN
20-1413NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS IN
20-1414NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS IN
20-1415NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS IN
20-1416NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS IN
20-1417NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS IN
20-1418NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS IN
20-1419NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS IN
20-1420NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS IN
20-1421NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS IN



20-1618NS


Yasargil Bayonet Non-Stick Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1610NS	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	NS IN
20-1611NS	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	NS IN
20-1612NS	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	NS IN
20-1613NS	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	NS IN
20-1614NS	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	NS IN
20-1615NS	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	NS IN
20-1616NS	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	NS IN
20-1617NS	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	NS IN
20-1618NS	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	NS IN
20-1619NS	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	NS IN
20-1620NS	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	NS IN
20-1621NS	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	NS IN















Yasargil Bayonet Stainless Steel Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1010	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	SS
20-1011	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	SS
20-1012	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	SS
20-1013	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	SS
20-1014	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	SS
20-1015	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	SS
20-1016	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	SS
20-1017	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	SS
20-1018	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	SS
20-1019	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	SS
20-1020	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	SS
20-1021	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	SS



Yasargil Bayonet Stainless Steel Irrigating Bipolar Forceps


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
20-1310	6 1/4" (15.9cm)	-	0.5mm	2 3/8" (6cm)	SS 
20-1311	6 1/4" (15.9cm)	-	0.7mm	2 3/8" (6cm)	SS 
20-1312	6 1/4" (15.9cm)	-	1.0mm	2 3/8" (6cm)	SS 
20-1313	6 1/4" (15.9cm)	-	1.3mm	2 3/8" (6cm)	SS 
20-1314	7 1/8" (18.1cm)	-	0.5mm	3 1/4" (8.3cm)	SS 
20-1315	7 1/8" (18.1cm)	-	0.7mm	3 1/4" (8.3cm)	SS 
20-1316	7 1/8" (18.1cm)	-	1.0mm	3 1/4" (8.3cm)	SS 
20-1317	7 1/8" (18.1cm)	-	1.3mm	3 1/4" (8.3cm)	SS 
20-1318	7 7/8" (20cm)	-	0.5mm	4" (10.2cm)	SS 
20-1319	7 7/8" (20cm)	-	0.7mm	4" (10.2cm)	SS 
20-1320	7 7/8" (20cm)	-	1.0mm	4" (10.2cm)	SS 
20-1321	7 7/8" (20cm)	-	1.3mm	4" (10.2cm)	SS 

CUSHING BIPOLAR FORCEPS









Cushing Bayonet Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2404AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN
12-1400AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN
10-2204NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN
12-1200NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN
10-2004	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN
12-1000	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN
12-1450AU	12 1/2" (31.8cm)	Non-Stick	1.0mm	8" (20.3cm)	AU IN
12-1451AU	12 1/2" (31.8cm)	Non-Stick, Angled Up	1.0mm	8" (20.3cm)	AU IN




Cushing Bayonet Irrigating Bipolar Forceps, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-2604AU	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	AU IN 
10-2604NS	7 1/2" (19.1cm)	Non-Stick	2.0mm	3 1/2" (8.9cm)	NS IN 
10-2304	7 1/2" (19.1cm)	-	2.0mm	3 1/2" (8.9cm)	SS IN 
12-1600AU	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	AU IN 
12-1600NS	7 1/2" (19.1cm)	Non-Stick	0.7mm	3 1/2" (8.9cm)	NS IN 
12-1300	7 1/2" (19.1cm)	-	0.7mm	3 1/2" (8.9cm)	SS IN 







Gerald Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1403AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN
11-1203NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN
11-1003	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN
11-1101AU	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	AU
11-1201NS	7 1/2" (19.1cm)	Non-Stick	1.0mm	3 1/2" (8.9cm)	NS
11-1001	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS



Gerald Bayonet Irrigating Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
11-1603AU	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	AU IN 
11-1603NS	7 1/2" (19.1cm)	Non-Stick, Insulated	1.0mm	3 1/2" (8.9cm)	NS IN 
11-1301	7 1/2" (19.1cm)	-	1.0mm	3 1/2" (8.9cm)	SS 
11-1303	7 1/2" (19.1cm)	Insulated	1.0mm	3 1/2" (8.9cm)	SS IN 

SCOVILLE-GREENWOOD BIPOLAR FORCEPS




Scoville-Greenwood Bayonet Bipolar Forceps

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1403AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1203NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1003	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN
10-1102AU	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	AU
10-1202NS	7 3/4" (19.7cm)	Non-Stick	1.5mm	2 3/4" (7cm)	NS
10-1002	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS



Scoville-Greenwood Bayonet Irrigating Bipolar Forceps


ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-1603AU	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	AU IN
10-1603NS	7 3/4" (19.7cm)	Non-Stick, Insulated	1.5mm	2 3/4" (7cm)	NS IN
10-1302	7 3/4" (19.7cm)	-	1.5mm	2 3/4" (7cm)	SS
10-1303	7 3/4" (19.7cm)	Insulated	1.5mm	2 3/4" (7cm)	SS IN



Hardy Bayonet Irrigating Bipolar Forceps with Stop

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
12-1629AU	8 3/4" (22.2cm)	Non-Stick, Insulated	2.0mm	4 1/2" (11.4cm)	AU IN
12-1632AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.5mm	4 1/2" (11.4cm)	AU IN
12-1633AU	8 3/4" (22.2cm)	Non-Stick, Insulated	1.2mm	4 1/2" (11.4cm)	AU IN
12-1634AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.7mm	4 1/2" (11.4cm)	AU IN
12-1635AU	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	AU IN
12-1636AU	9 3/4" (24.8cm)	Non-Stick, Insulated	0.5mm	5 1/2" (14cm)	AU IN
12-1637AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.0mm	5 1/2" (14cm)	AU IN
12-1638AU	9 3/4" (24.8cm)	Non-Stick, Insulated	1.5mm	5 1/2" (14cm)	AU IN
12-1635NS	8 3/4" (22.2cm)	Non-Stick, Insulated	0.5mm	4 1/2" (11.4cm)	NS IN
12-1330	8 3/4" (22.2cm)	-	0.5mm	4 1/2" (11.4cm)	SS
12-1335	8 3/4" (22.2cm)	Insulated	0.5mm	4 1/2" (11.4cm)	SS IN

MALIS STYLE BIPOLAR FORCEPS



Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5601AU	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 3/4" (9.5cm)	AU IN
10-5602AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 3/4" (9.5cm)	AU IN
10-5603AU	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 3/4" (9.5cm)	AU IN
10-5605AU	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 3/4" (9.5cm)	AU IN
10-5601NS	8 3/4" (22.2cm)	Non-Stick	1.5mm	3 3/4" (9.5cm)	NS IN
10-5602NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 3/4" (9.5cm)	NS IN
10-5603NS	8 3/4" (22.2cm)	Non-Stick	1.0mm	3 3/4" (9.5cm)	NS IN
10-5605NS	8 3/4" (22.2cm)	Non-Stick	0.25mm	3 3/4" (9.5cm)	NS IN
15-5301	8 3/4" (22.2cm)	Titanium	1.5mm	3 3/4" (9.5cm)	Ti IN
15-5302	8 3/4" (22.2cm)	Titanium	0.5mm	3 3/4" (9.5cm)	Ti IN
15-5303	8 3/4" (22.2cm)	Titanium	1.0mm	3 3/4" (9.5cm)	Ti IN
15-5310		Stylets for Irrigating Forceps, 5/pk			



Malis Style Bayonet Irrigating Bipolar Forceps with Stop, Angled Up, Insulated

ITEM #	TOTAL LENGTH	DESCRIPTION	TIP	WORKING LENGTH	FEATURES
10-5604AU	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 3/4" (9.5cm)	AU IN
10-5604NS	8 3/4" (22.2cm)	Non-Stick	0.5mm	3 3/4" (9.5cm)	NS IN
15-5304	8 3/4" (22.2cm)	Titanium	0.5mm	3 3/4" (9.5cm)	Ti IN